

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	59552	(detect\$4 or scan\$4 or read\$4 or captur\$4) same (fac\$4 or head\$3 or eye\$2) same (person\$2 or human\$3 or viewer\$2)	US-PGPUB ; USPAT	2005/04/20 15:06	
2	BRS	L2	3446	1 same (portion\$3 or partition\$3 or partial\$3 or segment\$6 or region\$3) near10 (head\$3 or fac\$4)	US-PGPUB ; USPAT	2005/04/20 14:37	
3	BRS	L3	565	2 same (stor\$4 or memor\$4 or buffer\$3 or databas\$4)	US-PGPUB ; USPAT	2005/04/20 14:37	
4	BRS	L4	99	3 same (trim\$4 or segment\$6 or cut\$4 or slic\$4)	US-PGPUB ; USPAT	2005/04/20 14:38	
5	BRS	L5	13	4 same (position\$3)	US-PGPUB ; USPAT	2005/04/20 14:38	
6	BRS	L6	662119	(detect\$4 or scan\$4 or read\$4 or captur\$4) same (fac\$4 or head\$3 or eye\$2)	US-PGPUB ; USPAT	2005/04/20 15:05	
7	BRS	L7	82092	6 same (person\$2 or human\$3 or viewer\$2 or operator\$2)	US-PGPUB ; USPAT	2005/04/20 14:36	
8	BRS	L8	5243	7 same (portion\$3 or partition\$3 or partial\$3 or segment\$6 or region\$3) near10 (head\$3 or fac\$4)	US-PGPUB ; USPAT	2005/04/20 14:37	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
9	BRS	L9	876	8 same(stor\$4 or memor\$4 or buffer\$3 or databas\$4)	US-PGPUB; USPAT	2005/04/20 15:17	
10	BRS	L10	155	9 same(trim\$4 or segment\$6 or cut\$4 or slic\$4)	US-PGPUB; USPAT	2005/04/20 15:17	
11	BRS	L11	42	10 same(position\$3)	US-PGPUB; USPAT	2005/04/20 15:18	
12	BRS	L13	3	9 same(top adj4 head\$3)	US-PGPUB; USPAT	2005/04/20 14:42	
13	BRS	L12	1	10 same(top adj4 head\$3)	US-PGPUB; USPAT	2005/04/20 14:51	
14	BRS	L14	41928 2	(detect\$4 or scan\$4 or read\$4 or captur\$4) same(top adje head\$3 or top-head\$3)	US-PGPUB; USPAT	2005/04/20 15:05	
15	BRS	L15	21570	14 same(person\$2 or human\$3 or viewer\$2)	US-PGPUB; USPAT	2005/04/20 15:06	
16	BRS	L16	37363	14 same(person\$2 or human\$3 or viewer\$2 or operator\$2)	US-PGPUB; USPAT	2005/04/20 15:06	
17	BRS	L17	8858	16 same(stor\$4 or memor\$4 or buffer\$3 or databas\$4)	US-PGPUB; USPAT	2005/04/20 15:17	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	L18	668	17 same(trim\$4 or segment\$6 or cut\$4 or slic\$4)	US-PGPUB ; USPAT	2005/04/20 15:17	
19	BRS	L19	305	18 same(position\$3)	US-PGPUB ; USPAT	2005/04/20 15:18	
20	BRS	L21	129	18 same(position\$3 near10(fac\$4 or head\$2))	US-PGPUB ; USPAT	2005/04/20 15:20	
21	BRS	L22	4	21 same(ratio\$2)	US-PGPUB ; USPAT	2005/04/20 15:20	
22	BRS	L20	4	18 same(position\$3 near10 eye\$2)	US-PGPUB ; USPAT	2005/04/20 15:21	
23	BRS	L23	11	21 same(position\$3 near10 (correlat\$6 or compar\$4 or match\$3))	US-PGPUB ; USPAT	2005/04/20 15:22	
24	BRS	L24	13	19 same(position\$3 near10 (correlat\$6 or compar\$4 or match\$3))	US-PGPUB ; USPAT	2005/04/20 15:22	



Search Result - Print Format

< B:

Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, IEE CNF = IEE Conference, IE STD = IEEE Standard

1. **Face recognition technology**
 Voth, D.;
 Intelligent Systems, IEEE [see also IEEE Intelligent Systems and Their Applications]
 Volume 18, Issue 3, May-Jun 2003 Page(s):4 - 7
 IEEE JNL
2. **Storing magnetic data**
 Jones, R.E.; Kryder, M.H.;
 Potentials, IEEE
 Volume 18, Issue 4, Oct.-Nov. 1999 Page(s):17 - 20
 IEEE JNL
3. **Applying virtual reality**
 Locke, J.;
 Potentials, IEEE
 Volume 14, Issue 4, Oct.-Nov. 1995 Page(s):16 - 18
 IEEE JNL
4. **Vertical giant magnetoresistive read heads for 50-Gb/in/sup 2/ magnetic recording**
 Everitt, B.A.; Olson, D.; van Nguyen, T.; Amin, N.; Pokhil, T.; Kolbo, P.; Zhong, L.; Murdock, E.; Pohm, A.V.; Daughton, J.M.;
 Magnetics, IEEE Transactions on
 Volume 41, Issue 1, Jan. 2005 Page(s):125 - 131
 IEEE JNL
5. **Distortion of inductive read head signal due to side-written magnetization**
 Cannon, J.A.; Burke, E.R.; Gomez, R.D.; Madabhushi, R.; Mayergoyz, I.D.;
 Magnetics, IEEE Transactions on
 Volume 32, Issue 6, Nov. 1996 Page(s):5265 - 5270
 IEEE JNL
6. **Magnetoresistance of NiFe/Ag multilayers: modeling of the effects**
 Andrieu, O.; Arroyo, J.; Gerard, P.; Dieny, B.;
 Magnetics, IEEE Transactions on
 Volume 32, Issue 5, Sept. 1996 Page(s):4734 - 4736
 IEEE JNL
7. **Error rate performance of high density recording using narrow track spin-valve GMR head**
 Shimomura, K.; Ohinata, Y.; Tanaka, Y.;
 Magnetics, IEEE Transactions on
 Volume 32, Issue 5, Sept. 1996 Page(s):3887 - 3889
 IEEE JNL
8. **5 Gb/in² recording demonstration with NiFe/Co₉₀Fe₁₀ spin-valve heads and low-noise thin-film disks**
 Mutoh, H.; Kanai, H.; Okamoto, J.; Ohtsuka, Y.; Sugawara, T.; Koshikawa, J.; Toda, J.; Uematsu, Y.; Shinohara, M.; Mizoshita, Y.;
 Magnetics, IEEE Transactions on
 Volume 32, Issue 5, Sept. 1996 Page(s):3914 - 3916
 IEEE JNL

9. **A comparison of manual and automatic methods for registering scans of the head**
Zuk, T.D.; Atkins, M.S.;
Medical Imaging, IEEE Transactions on
Volume 15, Issue 5, Oct. 1996 Page(s):732 - 744
IEEE JNL
10. **Off-track performance of pseudo side erasing wraparound heads for disk drive application**
Ohtsu, T.; Kushida, N.; Kawakami, K.; Iwakura, T.; Kodama, N.; Narishige, S.;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):3491 - 3493
IEEE JNL
11. **Spatial correlation between magnetic force microscope images and recording head output**
Rice, P.; Hoinville, J.R.;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):3563 - 3565
IEEE JNL
12. **MR head reading characteristics in perpendicular magnetic recording**
Muraoka, H.; Yamada, H.; Nakamura, Y.;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):3482 - 3484
IEEE JNL
13. **Spin-valve read heads with $\text{NiFe/Co}_{90}\text{Fe}_{10}$ layers for 5 Gbit/in² density recording**
Kanai, H.; Yamada, K.; Aoshima, K.; Ohtsuka, Y.; Kane, J.; Kanamine, M.; Toda, J.; Mizoshita, Y.;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):3368 - 3373
IEEE JNL
14. **Equalization and detection in storage channels**
Nair, S.K.; Shafiee, H.; Jaekyun Moon;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):5206 - 5217
IEEE JNL
15. **Performance evaluation for FDTS/DF on MR nonlinear channels**
Sawaguchi, H.; Nishida, Y.;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):3938 - 3940
IEEE JNL
16. **Micromagnetic modelling of spin valve and GMR read heads**
Miles, J.J.; Parker, M.R.;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):4597 - 4602
IEEE JNL
17. **Crosstrack profiles of thin film MR tape heads using the azimuth displacement method**
Dee, R.H.; Cates, J.C.;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):3464 - 3466
IEEE JNL
18. **Track-edge read-write effect of inductive/MR dual element heads**
Yuan, S.W.; Thayamballi, P.; Hua-Ching Tong;
Magnetics, IEEE Transactions on

Volume 32, Issue 5, Sept. 1996 Page(s):3461 - 3463

IEEE JNL

19. Harmonic analysis of nonlinear MR head transfer characteristics

Arnoldussen, T.C.;

Magnetics, IEEE Transactions on

Volume 32, Issue 5, Sept. 1996 Page(s):3449 - 3451

IEEE JNL

20. Accelerated wear characteristics of video heads in a helical scan system

Sookyung Kim; Haesung Kwon; Yung-Gil Kim; Youn-Sig Lee; Talke, F.E.;

Consumer Electronics, IEEE Transactions on

Volume 42, Issue 3, Aug. 1996 Page(s):847 - 850

IEEE JNL

21. Exchange-biased spin-valves for magnetic storage

Kools, J.C.S.;

Magnetics, IEEE Transactions on

Volume 32, Issue 4, July 1996 Page(s):3165 - 3184

IEEE JNL

22. Neuromorphic vision chips

Koch, C.; Mathur, B.;

Spectrum, IEEE

Volume 33, Issue 5, May 1996 Page(s):38 - 46

IEEE JNL

23. 3 Gb/in² recording demonstration with dual element heads and thin film disks

Ching Tsang; Santini, H.; McCown, D.; Lo, J.; Lee, R.;

Magnetics, IEEE Transactions on

Volume 32, Issue 1, Jan. 1996 Page(s):7 - 12

IEEE JNL

24. Smoothing random noise from human head scan data

Haian Fang; Nurre, J.H.;

Medical Imaging, IEEE Transactions on

Volume 15, Issue 1, Feb. 1996 Page(s):102 - 111

IEEE JNL

25. Track position dependence of performance attributes in permanent magnet biased MR/SAL heads

Tai Min; Nix, L.; Cahalan, D.; Chopra, K.;

Magnetics, IEEE Transactions on

Volume 32, Issue 1, Jan. 1996 Page(s):67 - 73

IEEE JNL